

STRUCTURE, PROPERTIES AND PREPARATION OF PEROVSKITE-TYPE COMPOUNDS

BY
FRANCIS S. GALASSO
United Aircraft Research Laboratories

INDEX

OXIDES

- $A^{++}B^{++}O_3$**
AgNbO₃
 crystallography 18
 density 145
 phase transition 116, 118
AgTaO₃
 crystallography 18
 density 145
 phase transition 116, 118
CaO
 crystallography 5, 18
 density 145
KIO₃
 crystallography 5, 18
 density 145
(K,Na)NbO₃
 ferroelectricity 95
KNbO₃
 crystallography 4, 18
 density 145
 dielectric constant 87
 ferroelectricity 96
 melting point 142
 phase transition 87, 116, 117
 preparation, single crystal 165
K(Nb,Ta)O₃
 ferroelectricity 86
 optical properties 1
 preparation, single crystal 165
KTaO₃
 crystallography 5, 18
 density 145
 ferroelectricity 88
 melting point 142
 optical properties 133
 phase transition 116, 117
 preparation, single crystal 165
NaNbO₃
 crystallography 5, 18
 density 145
 dielectric constant 88
 ferroelectricity 87
 melting point 142
 optical properties 134
 phase transition 5, 88, 116, 117
 preparation
 single crystal 166
 thin film 164
NaTaO₃
 crystallography 18
 density 145
 ferroelectricity 88
 melting point 142
 phase transition 116, 118
 preparation, single crystal 166
RbIO₃
 crystallography 18
 density 145
RbTaO₃
 ferroelectricity 88
TiO₂
 crystallography 5, 18
 density 145
 $A^{++}B^{++}O_2$
(Ba,Ca,Sr)TiO₃
 electrical conductivity 70
(Ba,Ca,Sr)(Ti,Zr)O₃
 dielectric constant 92
 ferroelectricity 92
(Ba,Ca)TiO₃
 dielectric constant 92
 piezoelectricity 92
(Ba,Ca,Mg)TiO₃
 electrical conductivity 70
BaCeO₃
 crystallography 18
 density 145
 preparation, thin film 164
BaFeO₃
 crystallography 18
 density 145
Ba(Hf,Ti)O₃
 dielectric constant 94
 ferroelectricity 94
 phase transition 94

- $(\text{Ba}, \text{La})(\text{Mn}, \text{Ti})\text{O}_3$
 ferromagnetism 123
 phase transition 123
 $(\text{Ba}, \text{La})\text{TiO}_3$
 electrical conductivity 70
 thermoelectricity 76
 BaMoO_4
 crystallography 18
 density 145
 BaPbO_3
 crystallography 18
 density 145
 $(\text{Ba}, \text{Pb})(\text{Sn}, \text{Ti})\text{O}_3$
 ferroelectricity 95
 $(\text{Ba}, \text{Pb})\text{TiO}_3$
 dielectric constant 91
 electrical conductivity 70
 ferroelectricity 91
 piezoelectricity 95
 $(\text{Ba}, \text{Pb})\text{ZrO}_3$
 dielectric constant 93
 ferroelectricity 93
 BaPrO_3
 crystallography 18
 density 145
 BaPuO_3
 crystallography 18
 density 145
 $\text{Ba}(\text{Si}, \text{Ti})\text{O}_3$
 electrical conductivity 70
 BaSnO_3
 crystallography 7, 18
 density 145
 preparation, thin film 164
 $\text{Ba}(\text{Sn}, \text{Ti})\text{O}_3$
 ferroelectricity 94
 $(\text{Ba}, \text{Sr})(\text{Sn}, \text{Ti})\text{O}_3$
 electrical conductivity 70
 $(\text{Ba}, \text{Sr})\text{TiO}_3$
 crystallography 80
 dielectric constant 80
 electrical conductivity 90
 ferroelectricity 95
 superconductivity 64
 BaThO_3
 crystallography 18
 density 145
 melting point 142
 BaTiO_3
 crystallography 5, 18
 density 145
 dielectric constant 82
 electrical conductivity 93
 electron paramagnetic resonance 57
 ferroelectricity 80
 heat of formation 142
 melting point 142
 nuclear irradiation 104
 optical properties 129
 phase transition 8, 90, 115
 piezoelectricity 110
 preparation
 single crystal 169
 thin film 169
 thermal conductivity 142
 X-ray diffraction 50
 $\text{Ba}(\text{Ti}, \text{Zr})\text{O}_3$
 electrical conductivity 70
 BaVO_3
 crystallography 18
 density 145
 BaZrO_3
 crystallography 6, 18
 density 145
 melting point 142
 thermal conductivity 142
 CaCeO_3
 crystallography 18
 density 145
 CaErO_3
 crystallography 18
 density 145
 melting point 142
 thermal expansion 142
 $(\text{Ca}, \text{La})\text{MnO}_3$
 ferromagnetism 122
 thermoelectricity 76
 CaMnO_3
 crystallography 18
 density 145
 electrical conductivity 68
 CaMoO_3
 crystallography 18
 density 145
 electrical conductivity 64
 preparation, powder 161
 CaSnO_3
 crystallography 19
 density 145
 $(\text{Ca}, \text{Sr})\text{TiO}_3$
 superconductivity 64
 CaThO_3
 crystallography 18
 density 145
 CaTiO_3
 crystallography 3, 5, 18
 density 145
 dielectric constant 57
 electrical conductivity 68

- CaTiO_3 (cont.)
 heat of formation 142
 Madelung constant 40
 melting point 143
 optical properties 132
 phase transition 87, 117
 preparation
 single crystal 173
 thin film 164
 thermal conductivity 142
 thermal expansion 142
 CaUO_4
 crystallography 7, 19
 density 145
 CaVO_3
 crystallography 19
 density 145
 CaZrO_3
 crystallography 7, 19
 density 145
 melting point 142
 CdCeO_3
 crystallography 19
 density 145
 CdSnO_3
 crystallography 19
 density 145
 CeTiO_3
 crystallography 19
 density 145
 CeTiO_4
 crystallography 19
 density 145
 ferroelectricity 104
 preparation, single crystal 174
 CdZrO_3
 crystallography 19
 density 145
 EuTiO_3
 crystallography 19
 density 145
 MgTiO_3
 crystallography 19
 density 145
 PbCeO_3
 crystallography 19
 density 145
 PbHfO_3
 crystallography 19
 density 145
 ferroelectricity 89
 phase transition 89, 116, 117
 PbSnO_3
 crystallography 19
 density 145
- PbTiO_3
 crystallography 6, 19
 density 145
 dielectric constant 85
 ferroelectricity 85
 phase transition 6, 85, 116, 117
 piezoelectricity 85
 preparation
 single crystal 174
 thin film 165
 thermal expansion 142
 X-ray diffraction 60
 $\text{PbTiO}_3\text{-KNbO}_3$
 dielectric constant 95
 $\text{PbTiO}_3\text{-NaNbO}_3$
 ferroelectricity 96
 Pb(Tl,Zr)O_3
 dielectric constant 97
 ferroelectricity 97
 mechanical properties 158
 piezoelectricity 97, 110
 PbZrO_3
 crystallography 7, 19
 density 145
 dielectric constant 88
 ferroelectricity 88
 phase transition 88, 116, 117
 preparation, single crystal 174
 SrCeO_3
 crystallography 19
 density 145
 SrCoO_3
 crystallography 19
 density 145
 SrFeO_3
 crystallography 19
 density 145
 SrHfO_3
 crystallography 19
 density 145
 SrMoO_3
 crystallography 19
 density 145
 electrical conductivity 64
 SrPbO_3
 crystallography 19
 density 145
 SrRuO_3
 crystallography 19
 density 145
 preparation, powder 161
 SnSnO_3
 crystallography 19
 density 145

- SrSnO_6 (cont.)
 preparation, thin film 184
 SrTiO_3
 crystallography 19
 density 148
 SrTiO_3
 crystallography 6, 19
 density 148
 dielectric constant 86
 electrical conductivity 68
 electron paramagnetic resonance 68
 ferroelectricity 86
 heat of formation 142
 melting point 142
 optical properties 130
 phase transition 116, 117
 preparation, single crystal 173
 thermal conductivity 142
 thermal expansion 142
 SrUO_6
 crystallography 19
 density 148
 SrZrO_3
 crystallography 7, 19
 density 148
 mechanical properties 144
 melting point 142
 thermal expansion 142
- A**B**O₆**
 BiAlO_3
 crystallography 19
 density 148
 BiO_2O_3
 crystallography 20
 density 148
 preparation, powder 162
 BiMnO_3
 crystallography 20
 density 148
 ferromagnetism 186
 preparation, powder 162
 CaAlO_3
 crystallography 20
 density 148
 CaCrO_3
 crystallography 20
 density 148
 CaFeO_3
 crystallography 20
 density 148
- CeGaO_3
 crystallography 20
 density 148
 CeSnO_3
 crystallography 20
 density 148
 CeVO_3
 crystallography 20
 density 148
 CeZrO_3
 crystallography 20
 density 148
 DyAlO_3
 crystallography 20
 density 148
 DyFeO_3
 crystallography 20
 density 148
 DyMnO_3
 crystallography 20
 density 148
 EuAlO_3
 crystallography 9, 20
 density 148
 EuCrO_3
 crystallography 20
 density 148
 EuFeO_3
 crystallography 9, 20
 density 148
 FeBiO_3
 crystallography 20
 density 148
 GdAlO_3
 crystallography 9, 20
 density 148
 melting point 142
 preparation, single crystal 176
 GdO_2O_3
 crystallography 20
 density 148
 GdCrO_3
 crystallography 9, 20
 density 148
 GdFeO_3
 crystallography 9, 20
 density 148
 ferromagnetism 188
 X-ray diffraction 61
 GdMnO_3
 crystallography 20
 density 148
 GdSeO_3
 crystallography 9, 20
 density 147

- GdVO₃,
crystallography 9, 20
density 147
- LaAlO₃,
crystallography 9, 10, 20
density 147
laser properties 1
melting point 142
phase transition 10
preparation, single crystal 174
- LaCoO₃,
crystallography 21
density 147
electrical conductivity 69
preparation, single crystal 174
- La(Co,Mn)O₃,
ferromagnetism 123
- LaCrO₃,
crystallography 9, 21
density 147
electrical conductivity 69
- La(Cr,Mn)O₃,
ferromagnetism 123
- LaFeO₃,
crystallography 21
density 147
electrical conductivity 68
melting point 142
- LaGaO₃,
crystallography 9, 21
density 147
phase transition 9
- LaInO₃,
crystallography 21
density 147
- LaMnO₃,
electrical conductivity 68
- La(Mn,Ni)O₃,
ferromagnetism 124
- LaNiO₃,
crystallography 21
density 147
- LaRhO₃,
crystallography 21
density 147
- LaSeO₃,
crystallography 9, 21
density 147
- (La,Sr)CoO₃,
electrical conductivity 69
ferromagnetism 122
- (La,Sr)CrO₃,
electrical conductivity 69
- (La,Sr)FeO₃,
electrical conductivity 69
thermoelectricity 76
- (La,Sr)MnO₃,
electrical conductivity 69
- LaTiO₃,
crystallography 21
density 147
electrical conductivity 60
- LaVO₃,
crystallography 21
density 147
electrical conductivity 60
preparation, powder 161
- LaYO₃,
crystallography 21
density 147
- NdAlO₃,
crystallography 9, 21
density 147
- NdCoO₃,
crystallography 21
density 147
- NdCrO₃,
crystallography 9, 21
density 147
- NdFeO₃,
crystallography 9, 21
density 147
- NdGaO₃,
crystallography 9, 21
density 147
- NdInO₃,
crystallography 21
density 147
- NdMnO₃,
crystallography 21
density 147
- NdSeO₃,
crystallography 9, 21
density 147
- NdVO₃,
crystallography 9, 21
density 147
- PrAlO₃,
crystallography 9, 21
density 147
- PrCoO₃,
crystallography 21
density 147
- PrCrO₃,
crystallography 9, 21
density 147

- PrFeO_3
 crystallography 9, 22
 density 147
 PrGaO_3
 crystallography 9, 22
 density 147
 PrMnO_3
 crystallography 22
 density 147
 PrScO_3
 crystallography 9, 22
 density 147
 PrVO_3
 crystallography 9, 22
 density 147
 PuAlO_3
 crystallography 22
 density 147
 PuCrO_3
 crystallography 22
 density 147
 PuMnO_3
 crystallography 22
 density 147
 PuVO_3
 crystallography 22
 density 147
 SmAlO_3
 crystallography 9, 22
 density 147
 phase transition 9
 SmCoO_3
 crystallography 22
 density 147
 SmCrO_3
 crystallography 9, 22
 density 147
 SmFeO_3
 crystallography 9, 22
 density 147
 SmInO_3
 crystallography 22
 density 147
 SmVO_3
 crystallography 22
 density 147
 YAlO_3
 crystallography 9, 22
 density 147
 melting point 142
 YCrO_3
 crystallography 9, 22
 density 148
 YFeO_3
 crystallography 9, 22
 density 148
 YScO_3
 crystallography 9, 22
 density 148
 ABO_3 and $\text{ABO}_{2.5}$
 $\text{Ce}_{0.9}\text{NbO}_3$
 crystallography 22
 density 148
 $\text{Ce}_{0.9}\text{TaO}_3$
 crystallography 22
 density 148
 $\text{Dy}_{0.9}\text{TaO}_3$
 crystallography 23
 density 148
 $\text{Gd}_{0.9}\text{TaO}_3$
 crystallography 23
 density 148
 $\text{La}_{0.9}\text{NbO}_3$
 crystallography 23
 density 148
 $\text{La}_{0.9}\text{TaO}_3$
 crystallography 23
 density 148
 $\text{Nd}_{0.9}\text{NbO}_3$
 crystallography 23
 density 148
 $\text{Nd}_{0.9}\text{TaO}_3$
 crystallography 23
 density 148
 $\text{Pr}_{0.9}\text{NbO}_3$
 crystallography 23
 density 148
 $\text{Pr}_{0.9}\text{TaO}_3$
 crystallography 23
 density 148
 $\text{Sm}_{0.9}\text{TaO}_3$
 crystallography 23
 density 148
 $\text{Y}_{0.9}\text{TaO}_3$
 crystallography 23
 density 148
 $\text{Yb}_{0.9}\text{TaO}_3$
 crystallography 23
 density 148
 Ce_xTaO_3
 crystallography 23
 density 148
 Li_2WO_4
 catalyst 141
 crystallography 10, 23

- Li_2WO_4 (cont.)
 density 148
 electrical conductivity 62
 Na_2WO_4
 catalyst 141
 crystallography 10, 23
 density 148
 electrical conductivity 60
 preparation, single crystal 175
 Sr_2NbO_6
 crystallography 10, 23
 density 148
 preparation, powder 161
 BaTiO_3
 electrical conductivity 66
 CaMnO_3
 crystallography 11, 23
 density 148
 CoTiO_3
 electrical conductivity 66
 SrCoO_3
 crystallography 11, 23
 density 148
 SrFeO_3
 crystallography 11, 23
 density 148
 SrTiO_3
 crystallography 11, 23
 density 148
 electrical conductivity 66
 superconductivity 63
 SrVO_3
 crystallography 11, 23
 density 148
 electrical conductivity 60
 $\text{A}(\text{B}_{0.5}\text{E}_{0.5})\text{O}_3$
 $\text{Ba}(\text{Al}_{0.5}\text{W}_{0.5})\text{O}_3$
 crystallography 23
 density 148
 $\text{Ba}(\text{Bi}_{0.5}\text{W}_{0.5})\text{O}_3$
 dielectric constant 89
 $\text{Ba}(\text{Dy}_{0.5}\text{W}_{0.5})\text{O}_3$
 crystallography 23
 density 148
 $\text{Ba}(\text{Er}_{0.5}\text{W}_{0.5})\text{O}_3$
 crystallography 24
 density 148
 $\text{Ba}(\text{Eu}_{0.5}\text{W}_{0.5})\text{O}_3$
 crystallography 24
 density 148
 $\text{Ba}(\text{Fe}_{0.5}\text{U}_{0.5})\text{O}_3$
 crystallography 24
 density 148
 $\text{Ba}(\text{Gd}_{0.5}\text{W}_{0.5})\text{O}_3$
 crystallography 24
 density 148
 $\text{Ba}(\text{In}_{0.5}\text{U}_{0.5})\text{O}_3$
 crystallography 24
 density 148
 $\text{Ba}(\text{In}_{0.5}\text{W}_{0.5})\text{O}_3$
 crystallography 24
 density 148
 $\text{Ba}(\text{La}_{0.5}\text{W}_{0.5})\text{O}_3$
 crystallography 24
 density 148
 $\text{Ba}(\text{Li}_{0.5}\text{W}_{0.5})\text{O}_3$
 crystallography 24
 density 148
 $\text{Ba}(\text{Nd}_{0.5}\text{W}_{0.5})\text{O}_3$
 crystallography 24
 density 148
 $\text{Ba}(\text{Sc}_{0.5}\text{U}_{0.5})\text{O}_3$
 crystallography 24
 density 148
 $\text{Ba}(\text{Sc}_{0.5}\text{W}_{0.5})\text{O}_3$
 crystallography 11, 24
 density 148
 $\text{Ba}(\text{Y}_{0.5}\text{U}_{0.5})\text{O}_3$
 crystallography 24
 density 148
 $\text{Ba}(\text{Y}_{0.5}\text{W}_{0.5})\text{O}_3$
 crystallography 24
 density 148
 $\text{Ba}(\text{Yb}_{0.5}\text{W}_{0.5})\text{O}_3$
 crystallography 24
 density 148
 $\text{La}(\text{Co}_{0.5}\text{Nb}_{0.5})\text{O}_3$
 crystallography 24
 density 148
 $\text{La}(\text{Co}_{0.5}\text{Sb}_{0.5})\text{O}_3$
 crystallography 24
 density 148
 $\text{Pb}(\text{Fe}_{0.5}\text{W}_{0.5})\text{O}_3$
 crystallography 24
 density 148
 ferroelectricity 100
 $\text{Sr}(\text{Cr}_{0.5}\text{Re}_{0.5})\text{O}_3$
 crystallography 13, 24
 density 149
 $\text{Sr}(\text{Cr}_{0.5}\text{U}_{0.5})\text{O}_3$
 crystallography 24
 density 149
 $\text{Sr}(\text{Fe}_{0.5}\text{Re}_{0.5})\text{O}_3$
 crystallography 24
 density 149
 $\text{Sr}(\text{Fe}_{0.5}\text{W}_{0.5})\text{O}_3$
 crystallography 24
 density 149

- $\text{Sr}(\text{In}_{0.5}\text{Re}_{0.5})\text{O}_6$
 crystallography 24
 density 149
- $\text{A}^{2+}(\text{B}_{0.5}^{2+}\text{B}_{0.5}^{3+})\text{O}_6$
- $\text{Ba}(\text{Ca}_{0.5}\text{Nb}_{0.5})\text{O}_6$
 crystallography 25
 density 149
- $\text{Ba}(\text{Ca}_{0.5}\text{Ta}_{0.5})\text{O}_6$
 crystallography 25
 density 149
 preparation, single crystal 177
- $\text{Ba}(\text{Cd}_{0.5}\text{Nb}_{0.5})\text{O}_6$
 crystallography 25
 density 149
- $\text{Ba}(\text{Cd}_{0.5}\text{Ta}_{0.5})\text{O}_6$
 crystallography 25
 density 149
- $\text{Ba}(\text{Co}_{0.5}\text{Nb}_{0.5})\text{O}_6$
 crystallography 25
 density 149
- $\text{Ba}(\text{Co}_{0.5}\text{Ta}_{0.5})\text{O}_6$
 crystallography 25
 density 149
- $\text{Ba}(\text{Cu}_{0.5}\text{Nb}_{0.5})\text{O}_6$
 crystallography 25
 density 149
- $\text{Ba}(\text{Fe}_{0.5}\text{Nb}_{0.5})\text{O}_6$
 crystallography 25
 density 149
- $\text{Ba}(\text{Fe}_{0.5}\text{Ta}_{0.5})\text{O}_6$
 crystallography 25
 density 149
 preparation, powder 160
- $\text{Ba}(\text{Mg}_{0.5}\text{Nb}_{0.5})\text{O}_6$
 crystallography 25
 density 149
- $\text{Ba}(\text{Mg}_{0.5}\text{Ta}_{0.5})\text{O}_6$
 crystallography 25
 density 149
 preparation, single crystal 177
 X-ray diffraction 56
- $\text{Ba}(\text{Mn}_{0.5}\text{Nb}_{0.5})\text{O}_6$
 crystallography 25
 density 149
- $\text{Ba}(\text{Mn}_{0.5}\text{Ta}_{0.5})\text{O}_6$
 crystallography 25
 density 149
- $\text{Ba}(\text{Ni}_{0.5}\text{Nb}_{0.5})\text{O}_6$
 crystallography 25
 density 149
- $\text{Ba}(\text{Ni}_{0.5}\text{Ta}_{0.5})\text{O}_6$
 crystallography 25
 density 160
 preparation, single crystal 177
- $\text{Ba}(\text{Pb}_{0.5}\text{Nb}_{0.5})\text{O}_6$
 crystallography 25
 density 160
- $\text{Ba}(\text{Pb}_{0.5}\text{Ta}_{0.5})\text{O}_6$
 crystallography 25
 density 160
- $\text{Ba}(\text{Sr}_{0.5}\text{Ta}_{0.5})\text{O}_6$
 crystallography 13, 15, 25
 density 160
 X-ray diffraction 56
- $\text{Ba}(\text{Zn}_{0.5}\text{Nb}_{0.5})\text{O}_6$
 crystallography 15, 25
 density 160
- $\text{Ba}(\text{Zn}_{0.5}\text{Ta}_{0.5})\text{O}_6$
 crystallography 25
 density 160
 preparation, single crystal 177
- $\text{Ca}(\text{Nb}_{0.5}\text{Nb}_{0.5})\text{O}_6$
 crystallography 25
 density 160
- $\text{Ca}(\text{Nb}_{0.5}\text{Ta}_{0.5})\text{O}_6$
 crystallography 25
 density 160
- $\text{Pb}(\text{Co}_{0.5}\text{Nb}_{0.5})\text{O}_6$
 crystallography 25
 density 160
 dielectric constant 102
 ferroelectricity 102
 preparation, single crystal 176
- $\text{Pb}(\text{Co}_{0.5}\text{Ta}_{0.5})\text{O}_6$
 crystallography 25
 density 160
 dielectric constant 102
 ferroelectricity 102
 preparation, single crystal 176
- $\text{Pb}(\text{Mg}_{0.5}\text{Nb}_{0.5})\text{O}_6$
 crystallography 26
 density 160
 dielectric constant 101
 ferroelectricity 101
- $\text{Pb}(\text{Mg}_{0.5}\text{Ta}_{0.5})\text{O}_6$
 crystallography 26
 density 160
 dielectric constant 102
 ferroelectricity 102
 preparation, single crystal 177
- $\text{Pb}(\text{Mn}_{0.5}\text{Nb}_{0.5})\text{O}_6$
 crystallography 26
 density 160

INDEX

199

$\text{Pb}(\text{Ni}_{1-x}\text{Nb}_{2x})\text{O}_3$		$\text{Sr}(\text{Mn}_{1-x}\text{Nb}_{2x})\text{O}_3$	
crystallography	26	crystallography	26
density	150	density	150
dielectric constant	101	$\text{Sr}(\text{Mn}_{1-x}\text{Ta}_{2x})\text{O}_3$	
ferroelectricity	101	crystallography	26
$\text{Pb}(\text{Ni}_{1-x}\text{Ta}_{2x})\text{O}_3$		density	150
crystallography	26	$\text{Sr}(\text{Ni}_{1-x}\text{Nb}_{2x})\text{O}_3$	
density	150	crystallography	26
dielectric constant	102	density	150
ferroelectricity	102	$\text{Sr}(\text{Ni}_{1-x}\text{Ta}_{2x})\text{O}_3$	
preparation, single crystal	176	crystallography	26
$\text{Pb}(\text{Zn}_{1-x}\text{Nb}_{2x})\text{O}_3$		density	150
crystallography	26	$\text{Sr}(\text{Pb}_{1-x}\text{Nb}_{2x})\text{O}_3$	
density	150	crystallography	26
dielectric constant	102	density	150
ferroelectricity	102	$\text{Sr}(\text{Pb}_{1-x}\text{Ta}_{2x})\text{O}_3$	
preparation, single crystal	176	crystallography	26
$\text{Sr}(\text{Co}_{1-x}\text{Nb}_{2x})\text{O}_3$		density	150
crystallography	26	$\text{Sr}(\text{Zn}_{1-x}\text{Nb}_{2x})\text{O}_3$	
density	150	crystallography	27
$\text{Sr}(\text{Co}_{1-x}\text{Sb}_{2x})\text{O}_3$		density	150
crystallography	26	$\text{Sr}(\text{Zn}_{1-x}\text{Ta}_{2x})\text{O}_3$	
density	150	crystallography	27
$\text{Sr}(\text{Co}_{1-x}\text{Ta}_{2x})\text{O}_3$		density	150
crystallography	26		
density	150	$\text{A}^{2+}(\text{B}_1^{2+}\text{B}_2^{2+})\text{O}_3$	
$\text{Sr}(\text{Cd}_{1-x}\text{Nb}_{2x})\text{O}_3$		$\text{Ba}(\text{Bi}_{1-x}\text{Mo}_{2x})\text{O}_3$	
crystallography	26	dielectric constant	99
density	150	$\text{Ba}(\text{Bi}_{1-x}\text{Nb}_{2x})\text{O}_3$	
$\text{Sr}(\text{Co}_{1-x}\text{Nb}_{2x})\text{O}_3$		crystallography	27
crystallography	26	density	150
density	150	dielectric constant	99
$\text{Sr}(\text{Co}_{1-x}\text{Ta}_{2x})\text{O}_3$		ferroelectricity	99
crystallography	26	$\text{Ba}(\text{Bi}_{1-x}\text{Ta}_{2x})\text{O}_3$	
density	150	crystallography	27
$\text{Sr}(\text{Cu}_{1-x}\text{Sb}_{2x})\text{O}_3$		density	150
crystallography	26	dielectric constant	99
density	150	ferroelectricity	99
$\text{Sr}(\text{Fe}_{1-x}\text{Nb}_{2x})\text{O}_3$		$\text{Ba}(\text{Bi}_{1-x}\text{U}_{2x})\text{O}_3$	
crystallography	26	dielectric constant	99
density	150	$\text{Ba}(\text{Co}_{1-x}\text{Nb}_{2x})\text{O}_3$	
$\text{Sr}(\text{Mg}_{1-x}\text{Nb}_{2x})\text{O}_3$		crystallography	27
crystallography	26	density	150
density	150	$\text{Ba}(\text{Co}_{1-x}\text{P}_{2x})\text{O}_3$	
$\text{Sr}(\text{Mg}_{1-x}\text{Sb}_{2x})\text{O}_3$		crystallography	27
crystallography	26	density	150
density	150	$\text{Ba}(\text{Co}_{1-x}\text{Nb}_{2x})\text{O}_3$	
$\text{Sr}(\text{Mg}_{1-x}\text{Ta}_{2x})\text{O}_3$		crystallography	27
crystallography	26	density	150
density	150		

- $\text{Ba}(\text{Co}_{0.5}\text{Re}_{0.5})\text{O}_3$
 crystallography 27
 density 150
 $\text{Ba}(\text{Cr}_{0.5}\text{O}_{0.5})\text{O}_3$
 crystallography 27
 density 150
 $\text{Ba}(\text{Cr}_{0.5}\text{Re}_{0.5})\text{O}_3$
 crystallography 27
 density 150
 $\text{Ba}(\text{Cr}_{0.5}\text{U}_{0.5})\text{O}_3$
 crystallography 27
 density 150
 $\text{Ba}(\text{Cu}_{0.5}\text{W}_{0.5})\text{O}_3$
 crystallography 27
 density 150
 $\text{Ba}(\text{Dy}_{0.5}\text{Nb}_{0.5})\text{O}_3$
 crystallography 27
 density 150
 $\text{Ba}(\text{Dy}_{0.5}\text{Pa}_{0.5})\text{O}_3$
 crystallography 27
 density 150
 $\text{Ba}(\text{Dy}_{0.5}\text{Ta}_{0.5})\text{O}_3$
 crystallography 27
 density 150
 $\text{Ba}(\text{Er}_{0.5}\text{Nb}_{0.5})\text{O}_3$
 crystallography 27
 density 150
 $\text{Ba}(\text{Er}_{0.5}\text{Pa}_{0.5})\text{O}_3$
 crystallography 27
 density 150
 $\text{Ba}(\text{Er}_{0.5}\text{Re}_{0.5})\text{O}_3$
 crystallography 27
 density 150
 $\text{Ba}(\text{Er}_{0.5}\text{Ta}_{0.5})\text{O}_3$
 crystallography 27
 density 150
 $\text{Ba}(\text{Er}_{0.5}\text{U}_{0.5})\text{O}_3$
 crystallography 27
 density 150
 $\text{Ba}(\text{Eu}_{0.5}\text{Nb}_{0.5})\text{O}_3$
 crystallography 27
 density 151
 $\text{Ba}(\text{Eu}_{0.5}\text{Pa}_{0.5})\text{O}_3$
 crystallography 27
 density 151
 $\text{Ba}(\text{Eu}_{0.5}\text{Ta}_{0.5})\text{O}_3$
 crystallography 28
 density 151
 $\text{Ba}(\text{Fe}_{0.5}\text{Mo}_{0.5})\text{O}_3$
 crystallography 28
 density 151
 ferromagnetism 120
 $\text{Ba}(\text{Fe}_{0.5}\text{Nb}_{0.5})\text{O}_3$
 crystallography 28
 density 151
 $\text{Ba}(\text{Fe}_{0.5}\text{Re}_{0.5})\text{O}_3$
 crystallography 28
 density 151
 ferromagnetism 120
 $\text{Ba}(\text{Fe}_{0.5}\text{Ta}_{0.5})\text{O}_3$
 crystallography 28
 density 151
 thermal expansion 143
 $\text{Ba}(\text{Gd}_{0.5}\text{Nb}_{0.5})\text{O}_3$
 crystallography 28
 density 151
 $\text{Ba}(\text{Gd}_{0.5}\text{Pa}_{0.5})\text{O}_3$
 crystallography 28
 density 151
 $\text{Ba}(\text{Gd}_{0.5}\text{Re}_{0.5})\text{O}_3$
 crystallography 28
 density 151
 $\text{Ba}(\text{Gd}_{0.5}\text{Sb}_{0.5})\text{O}_3$
 crystallography 28
 density 151
 $\text{Ba}(\text{Gd}_{0.5}\text{Ta}_{0.5})\text{O}_3$
 crystallography 28
 density 151
 laser properties 138
 preparation, single crystal 177
 $\text{Ba}(\text{Ho}_{0.5}\text{Nb}_{0.5})\text{O}_3$
 crystallography 28
 density 151
 $\text{Ba}(\text{Ho}_{0.5}\text{Pa}_{0.5})\text{O}_3$
 crystallography 28
 density 151
 $\text{Ba}(\text{Ho}_{0.5}\text{Ta}_{0.5})\text{O}_3$
 crystallography 28
 density 151
 $\text{Ba}(\text{In}_{0.5}\text{Nb}_{0.5})\text{O}_3$
 crystallography 28
 density 151
 $\text{Ba}(\text{In}_{0.5}\text{O}_{0.5})\text{O}_3$
 crystallography 28
 density 151
 $\text{Ba}(\text{In}_{0.5}\text{Pa}_{0.5})\text{O}_3$
 crystallography 28
 density 151
 $\text{Ba}(\text{In}_{0.5}\text{Re}_{0.5})\text{O}_3$
 crystallography 28
 density 151
 $\text{Ba}(\text{In}_{0.5}\text{Sb}_{0.5})\text{O}_3$
 crystallography 28
 density 151
 $\text{Ba}(\text{In}_{0.5}\text{Ta}_{0.5})\text{O}_3$
 crystallography 28
 density 151
 $\text{Ba}(\text{La}_{0.5}\text{Nb}_{0.5})\text{O}_3$
 crystallography 28
 density 151
 $\text{Ba}(\text{La}_{0.5}\text{Pa}_{0.5})\text{O}_3$
 crystallography 28
 density 151
 $\text{Ba}(\text{La}_{0.5}\text{Re}_{0.5})\text{O}_3$
 crystallography 28
 density 151
 $\text{Ba}(\text{La}_{0.5}\text{Ta}_{0.5})\text{O}_3$
 crystallography 28
 density 151
 laser properties 139
 preparation, single crystal 177
 $\text{Ba}(\text{Lu}_{0.5}\text{Nb}_{0.5})\text{O}_3$
 crystallography 29
 density 151
 $\text{Ba}(\text{Lu}_{0.5}\text{Pa}_{0.5})\text{O}_3$
 crystallography 29
 density 151
 $\text{Ba}(\text{Lu}_{0.5}\text{Ta}_{0.5})\text{O}_3$
 crystallography 29
 density 151
 $\text{Ba}(\text{Mn}_{0.5}\text{Nb}_{0.5})\text{O}_3$
 crystallography 29
 density 151
 $\text{Ba}(\text{Mn}_{0.5}\text{Re}_{0.5})\text{O}_3$
 crystallography 29
 density 151
 $\text{Ba}(\text{Mn}_{0.5}\text{Ta}_{0.5})\text{O}_3$
 crystallography 29
 density 151
 $\text{Ba}(\text{Nd}_{0.5}\text{Nb}_{0.5})\text{O}_3$
 crystallography 29
 density 151
 $\text{Ba}(\text{Nd}_{0.5}\text{Pa}_{0.5})\text{O}_3$
 crystallography 29
 density 151
 $\text{Ba}(\text{Nd}_{0.5}\text{Re}_{0.5})\text{O}_3$
 crystallography 29
 density 151
 $\text{Ba}(\text{Nd}_{0.5}\text{Ta}_{0.5})\text{O}_3$
 crystallography 29
 density 151
 $\text{Ba}(\text{Ni}_{0.5}\text{Nb}_{0.5})\text{O}_3$
 crystallography 29
 density 151

INDEX

201

Ba(Pa _{0.5} Nb _{0.5})O ₃ crystallography 29 density 161	Ba(Tl _{0.5} Ta _{0.5})O ₃ crystallography 30 density 163	density 152
Ba(Pa _{0.5} Fe _{0.5})O ₃ crystallography 29 density 161	Ba(Tm _{0.5} Nb _{0.5})O ₃ crystallography 30 density 163	Ca(Cr _{0.5} Co _{0.5})O ₃ crystallography 31 density 153
Ba(Pa _{0.5} Ta _{0.5})O ₃ crystallography 29 density 161	Ba(Tm _{0.5} Pa _{0.5})O ₃ crystallography 30 density 163	Ca(Cr _{0.5} Re _{0.5})O ₃ crystallography 31 density 152
Ba(Rb _{0.5} Nb _{0.5})O ₃ crystallography 29 density 161	Ba(Tm _{0.5} Ta _{0.5})O ₃ crystallography 30 density 163	Ca(Cr _{0.5} Ta _{0.5})O ₃ crystallography 31 density 152
Ba(Rb _{0.5} U _{0.5})O ₃ crystallography 29 density 161	Ba(Y _{0.5} Nb _{0.5})O ₃ crystallography 30 density 163	Ca(Cr _{0.5} W _{0.5})O ₃ crystallography 31 density 162
Ba(Sc _{0.5} Nb _{0.5})O ₃ crystallography 29 density 162	Ba(Y _{0.5} Pa _{0.5})O ₃ crystallography 30 density 163	Ca(Dy _{0.5} Nb _{0.5})O ₃ crystallography 31 density 163
Ba(Sc _{0.5} Os _{0.5})O ₃ crystallography 29 density 162	Ba(Y _{0.5} Re _{0.5})O ₃ crystallography 30 density 163	Ca(Dy _{0.5} Ta _{0.5})O ₃ crystallography 31 density 162
Ba(Sc _{0.5} Pa _{0.5})O ₃ crystallography 29 density 162	Ba(Y _{0.5} Ta _{0.5})O ₃ crystallography 30 density 163	Ca(Er _{0.5} Nb _{0.5})O ₃ crystallography 31 density 162
Ba(Sc _{0.5} Re _{0.5})O ₃ crystallography 29 density 162	laser properties 139 preparation, single crystal 177	Ca(Er _{0.5} Ta _{0.5})O ₃ crystallography 31 density 162
Ba(Sc _{0.5} Sb _{0.5})O ₃ crystallography 29 density 162	X-ray diffraction 64	Ca(Fe _{0.5} Mo _{0.5})O ₃ crystallography 31 density 162
Ba(Sc _{0.5} Ta _{0.5})O ₃ crystallography 29 density 162	Ba(Yb _{0.5} Nb _{0.5})O ₃ crystallography 30 density 163	Ca(Fe _{0.5} Nb _{0.5})O ₃ crystallography 31 density 162
laser properties 139 preparation, single crystal 177	Ba(Yb _{0.5} Pa _{0.5})O ₃ crystallography 30 density 163	Ca(Fe _{0.5} Re _{0.5})O ₃ density 162
Ba(Se _{0.5} U _{0.5})O ₃ crystallography 30 density 163	Ba(Yb _{0.5} Ta _{0.5})O ₃ crystallography 30 density 163	Ca(Fe _{0.5} Sb _{0.5})O ₃ crystallography 31 density 163
Ba(Sm _{0.5} Nb _{0.5})O ₃ crystallography 30 density 162	Ca(Al _{0.5} Nb _{0.5})O ₃ crystallography 30 density 162	Ca(Fe _{0.5} Ta _{0.5})O ₃ crystallography 31 density 162
Ba(Sm _{0.5} Pa _{0.5})O ₃ crystallography 30 density 162	Ca(Al _{0.5} Ta _{0.5})O ₃ crystallography 30 density 162	Ca(Gd _{0.5} Nb _{0.5})O ₃ crystallography 31 density 162
Ba(Sm _{0.5} Ta _{0.5})O ₃ crystallography 30 density 162	Ca(Co _{0.5} W _{0.5})O ₃ crystallography 30 density 162	Ca(Gd _{0.5} Ta _{0.5})O ₃ crystallography 31 density 162
Ba(Tb _{0.5} Nb _{0.5})O ₃ crystallography 30 density 162	Ca(Cr _{0.5} Mo _{0.5})O ₃ crystallography 30 density 162	Ca(Ho _{0.5} Nb _{0.5})O ₃ crystallography 31 density 162
Ba(Tb _{0.5} Pa _{0.5})O ₃ crystallography 30 density 162	ferromagnetism 125	
	Ca(Cr _{0.5} Nb _{0.5})O ₃ crystallography 31	

- $\text{Ca}(\text{Ho}_{0.4}\text{Ta}_{0.6})\text{O}_3$
 crystallography 31
 density 163
 $\text{Ca}(\text{In}_{0.4}\text{Nb}_{0.6})\text{O}_3$
 crystallography 31
 density 163
 $\text{Ca}(\text{In}_{0.4}\text{Ta}_{0.6})\text{O}_3$
 crystallography 31
 density 163
 $\text{Ca}(\text{La}_{0.4}\text{Nb}_{0.6})\text{O}_3$
 crystallography 31
 density 163
 $\text{Ca}(\text{La}_{0.4}\text{Ta}_{0.6})\text{O}_3$
 crystallography 31
 density 163
 $\text{Ca}(\text{Mn}_{0.4}\text{Ta}_{0.6})\text{O}_3$
 crystallography 31
 density 163
 $\text{Ca}(\text{Nd}_{0.4}\text{Nb}_{0.6})\text{O}_3$
 crystallography 31
 density 163
 $\text{Ca}(\text{Nd}_{0.4}\text{Ta}_{0.6})\text{O}_3$
 crystallography 31
 density 163
 $\text{Ca}(\text{Ni}_{0.4}\text{W}_{0.6})\text{O}_3$
 crystallography 32
 density 163
 $\text{Ca}(\text{Pr}_{0.4}\text{Nb}_{0.6})\text{O}_3$
 crystallography 32
 density 163
 $\text{Ca}(\text{Pr}_{0.4}\text{Ta}_{0.6})\text{O}_3$
 crystallography 32
 density 163
 $\text{Ca}(\text{Sc}_{0.4}\text{Fe}_{0.6})\text{O}_3$
 crystallography 32
 density 163
 $\text{Ca}(\text{Sm}_{0.4}\text{Nb}_{0.6})\text{O}_3$
 crystallography 32
 density 163
 $\text{Ca}(\text{Sm}_{0.4}\text{Ta}_{0.6})\text{O}_3$
 crystallography 32
 density 163
 $\text{Ca}(\text{Tb}_{0.4}\text{Nb}_{0.6})\text{O}_3$
 crystallography 32
 density 163
 $\text{Ca}(\text{Tb}_{0.4}\text{Ta}_{0.6})\text{O}_3$
 crystallography 32
 density 163
 $\text{Ca}(\text{Y}_{0.4}\text{Nb}_{0.6})\text{O}_3$
 crystallography 32
 density 163
 $\text{Ca}(\text{Y}_{0.4}\text{Ta}_{0.6})\text{O}_3$
 crystallography 32
 density 163
- $\text{Ca}(\text{Yb}_{0.4}\text{Nb}_{0.6})\text{O}_3$
 crystallography 32
 density 163
 $\text{Ca}(\text{Yb}_{0.4}\text{Ta}_{0.6})\text{O}_3$
 crystallography 32
 density 163
 $\text{Pb}(\text{Fe}_{0.4}\text{Nb}_{0.6})\text{O}_3$
 crystallography 32
 density 163
 ferroelectricity 99
 preparation, single crystal 176
 $\text{Pb}(\text{Fe}_{0.4}\text{Ta}_{0.6})\text{O}_3$
 crystallography 32
 density 163
 dielectric constant 101
 ferroelectricity 101
 preparation, single crystal 176
 $\text{Pb}(\text{Ho}_{0.4}\text{Nb}_{0.6})\text{O}_3$
 crystallography 32
 density 163
 $\text{Pb}(\text{In}_{0.4}\text{Nb}_{0.6})\text{O}_3$
 crystallography 32
 density 163
 dielectric constant 100
 ferroelectricity 100
 $\text{Pb}(\text{La}_{0.4}\text{Nb}_{0.6})\text{O}_3$
 crystallography 32
 density 163
 dielectric constant 100
 ferroelectricity 100
 phase transition 121
 $\text{Pb}(\text{La}_{0.4}\text{Ta}_{0.6})\text{O}_3$
 crystallography 32
 density 163
 phase transition 121
 $\text{Pb}(\text{Sc}_{0.4}\text{Nb}_{0.6})\text{O}_3$
 crystallography 32
 density 163
 dielectric constant 100
 ferroelectricity 100
 preparation, single crystal 176
 $\text{Pb}(\text{Sc}_{0.4}\text{Ta}_{0.6})\text{O}_3$
 crystallography 32
 density 163
 dielectric constant 100
 preparation, single crystal 176
- $\text{Pb}(\text{Yb}_{0.4}\text{Nb}_{0.6})\text{O}_3$
 crystallography 32
 density 163
 ferroelectricity 99
 phase transition 121
 $\text{Pb}(\text{Yb}_{0.4}\text{Ta}_{0.6})\text{O}_3$
 crystallography 32
 density 163
 dielectric constant 100
 ferroelectricity 100
 $\text{Sr}(\text{Co}_{0.4}\text{Nb}_{0.6})\text{O}_3$
 crystallography 32
 density 163
 $\text{Sr}(\text{Co}_{0.4}\text{Sb}_{0.6})\text{O}_3$
 crystallography 32
 density 163
 $\text{Sr}(\text{Cr}_{0.4}\text{Mo}_{0.6})\text{O}_3$
 crystallography 32
 density 163
 ferromagnetism 126
 $\text{Sr}(\text{Cr}_{0.4}\text{Nb}_{0.6})\text{O}_3$
 crystallography 32
 density 163
 $\text{Sr}(\text{Cr}_{0.4}\text{O}_{0.6})\text{O}_3$
 crystallography 32
 density 163
 $\text{Sr}(\text{Cr}_{0.4}\text{Fe}_{0.6})\text{O}_3$
 crystallography 32
 density 163
 $\text{Sr}(\text{Cr}_{0.4}\text{Sb}_{0.6})\text{O}_3$
 crystallography 32
 density 163
 $\text{Sr}(\text{Cr}_{0.4}\text{Ta}_{0.6})\text{O}_3$
 crystallography 32
 density 163
 $\text{Sr}(\text{Cr}_{0.4}\text{W}_{0.6})\text{O}_3$
 crystallography 32
 density 163
 $\text{Sr}(\text{Dy}_{0.4}\text{Ta}_{0.6})\text{O}_3$
 crystallography 32
 density 163
 $\text{Sr}(\text{Er}_{0.4}\text{Ta}_{0.6})\text{O}_3$
 crystallography 32
 density 164
 $\text{Sr}(\text{Eu}_{0.4}\text{Ta}_{0.6})\text{O}_3$
 crystallography 32
 density 164
 $\text{Sr}(\text{Fe}_{0.4}\text{Mo}_{0.6})\text{O}_3$
 crystallography 32
 density 164
 ferromagnetism 126
 $\text{Sr}(\text{Fe}_{0.4}\text{Nb}_{0.6})\text{O}_3$
 crystallography 32
 density 164

203

Page 153 of 159

- $\text{Ba}(\text{Mg}_{0.5}\text{Re}_{0.5})\text{O}_3$
 crystallography 35
 density 155
 $\text{Ba}(\text{Mg}_{0.5}\text{Te}_{0.5})\text{O}_3$
 crystallography 35
 density 155
 $\text{Ba}(\text{Mg}_{0.5}\text{U}_{0.5})\text{O}_3$
 crystallography 35
 density 155
 $\text{Ba}(\text{Mg}_{0.5}\text{W}_{0.5})\text{O}_3$
 crystallography 35
 density 155
 $\text{Ba}(\text{Mn}_{0.5}\text{Re}_{0.5})\text{O}_3$
 crystallography 36
 density 155
 $\text{Ba}(\text{Mn}_{0.5}\text{U}_{0.5})\text{O}_3$
 crystallography 36
 density 155
 $\text{Ba}(\text{Ni}_{0.5}\text{Mo}_{0.5})\text{O}_3$
 crystallography 35
 density 155
 $\text{Ba}(\text{Ni}_{0.5}\text{Re}_{0.5})\text{O}_3$
 crystallography 35
 density 155
 Madelung constant 40
 $\text{Ba}(\text{Ni}_{0.5}\text{U}_{0.5})\text{O}_3$
 crystallography 35
 density 155
 $\text{Ba}(\text{Ni}_{0.5}\text{W}_{0.5})\text{O}_3$
 crystallography 35
 density 155
 $\text{Ba}(\text{Pb}_{0.5}\text{Mo}_{0.5})\text{O}_3$
 crystallography 36
 density 155
 $\text{Ba}(\text{Sr}_{0.5}\text{Os}_{0.5})\text{O}_3$
 crystallography 35
 density 155
 Madelung constant 41
 $\text{Ba}(\text{Sr}_{0.5}\text{Re}_{0.5})\text{O}_3$
 crystallography 35
 density 155
 Madelung constant 41
 $\text{Ba}(\text{Sr}_{0.5}\text{U}_{0.5})\text{O}_3$
 crystallography 35
 density 155
 $\text{Ba}(\text{Sr}_{0.5}\text{W}_{0.5})\text{O}_3$
 crystallography 35
 density 155
 phase transition 16
 $\text{Ba}(\text{Zn}_{0.5}\text{Os}_{0.5})\text{O}_3$
 crystallography 35
 density 155
 $\text{Ba}(\text{Zn}_{0.5}\text{Re}_{0.5})\text{O}_3$
 crystallography 36
 density 155
 $\text{Ba}(\text{Zn}_{0.5}\text{U}_{0.5})\text{O}_3$
 crystallography 35
 density 155
 $\text{Ba}(\text{Zn}_{0.5}\text{W}_{0.5})\text{O}_3$
 crystallography 36
 density 155
 $\text{Ca}(\text{Ca}_{0.5}\text{Os}_{0.5})\text{O}_3$
 crystallography 36
 density 155
 $\text{Ca}(\text{Ca}_{0.5}\text{Re}_{0.5})\text{O}_3$
 crystallography 36
 density 155
 $\text{Ca}(\text{Ca}_{0.5}\text{W}_{0.5})\text{O}_3$
 crystallography 36
 density 155
 $\text{Ca}(\text{Cd}_{0.5}\text{Re}_{0.5})\text{O}_3$
 crystallography 36
 density 155
 $\text{Ca}(\text{Os}_{0.5}\text{Os}_{0.5})\text{O}_3$
 crystallography 36
 density 155
 $\text{Ca}(\text{Co}_{0.5}\text{Re}_{0.5})\text{O}_3$
 crystallography 36
 density 155
 $\text{Ca}(\text{Fe}_{0.5}\text{Re}_{0.5})\text{O}_3$
 crystallography 36
 density 155
 $\text{Ca}(\text{Mg}_{0.5}\text{Re}_{0.5})\text{O}_3$
 crystallography 36
 density 155
 $\text{Ca}(\text{Mg}_{0.5}\text{W}_{0.5})\text{O}_3$
 crystallography 36
 density 155
 $\text{Ca}(\text{Mo}_{0.5}\text{Re}_{0.5})\text{O}_3$
 crystallography 36
 density 155
 $\text{Ca}(\text{Ni}_{0.5}\text{Re}_{0.5})\text{O}_3$
 crystallography 36
 density 155
 $\text{Ca}(\text{Sr}_{0.5}\text{W}_{0.5})\text{O}_3$
 crystallography 36
 density 155
 $\text{Pb}(\text{Ca}_{0.5}\text{W}_{0.5})\text{O}_3$
 crystallography 36
 density 155
 $\text{Pb}(\text{Cd}_{0.5}\text{W}_{0.5})\text{O}_3$
 crystallography 36
 density 155
 $\text{Pb}(\text{Co}_{0.5}\text{W}_{0.5})\text{O}_3$
 crystallography 36
 density 155
 ferroelectricity 104
 phase transition 119
 $\text{Pb}(\text{Mg}_{0.5}\text{Te}_{0.5})\text{O}_3$
 crystallography 36
 density 155
 phase transition 120
 preparation, single crystal 176
 $\text{Pb}(\text{Mg}_{0.5}\text{W}_{0.5})\text{O}_3$
 crystallography 36
 density 155
 dielectric constant 100
 ferroelectricity 100
 $\text{Sr}(\text{Ca}_{0.5}\text{Mo}_{0.5})\text{O}_3$
 crystallography 36
 density 155
 $\text{Sr}(\text{Ca}_{0.5}\text{Os}_{0.5})\text{O}_3$
 crystallography 36
 density 155
 $\text{Sr}(\text{Ca}_{0.5}\text{Re}_{0.5})\text{O}_3$
 crystallography 36
 density 155
 $\text{Sr}(\text{Ca}_{0.5}\text{U}_{0.5})\text{O}_3$
 crystallography 36
 density 155
 $\text{Sr}(\text{Ca}_{0.5}\text{W}_{0.5})\text{O}_3$
 crystallography 36
 density 155
 $\text{Sr}(\text{Cd}_{0.5}\text{Re}_{0.5})\text{O}_3$
 crystallography 36
 density 155
 $\text{Sr}(\text{Cd}_{0.5}\text{U}_{0.5})\text{O}_3$
 crystallography 36
 density 155
 $\text{Sr}(\text{Co}_{0.5}\text{Mo}_{0.5})\text{O}_3$
 crystallography 36
 density 155
 phase transition 119
 $\text{Sr}(\text{Co}_{0.5}\text{Os}_{0.5})\text{O}_3$
 crystallography 36
 density 155
 $\text{Sr}(\text{Co}_{0.5}\text{Re}_{0.5})\text{O}_3$
 crystallography 36
 density 155
 Madelung constant 41
 $\text{Sr}(\text{Co}_{0.5}\text{U}_{0.5})\text{O}_3$
 crystallography 36
 density 155
 $\text{Sr}(\text{Co}_{0.5}\text{W}_{0.5})\text{O}_3$
 crystallography 37

- $\text{Sr}(\text{Co}_{0.4}\text{W}_{0.6})\text{O}_3$ (cont.)
 density 158
 ferromagnetism 127
 phase transition 119
 $\text{Sr}(\text{Cr}_{0.4}\text{U}_{0.6})\text{O}_3$
 crystallography 37
 density 158
 $\text{Sr}(\text{Cu}_{0.4}\text{W}_{0.6})\text{O}_3$
 crystallography 37
 density 158
 $\text{Sr}(\text{Fe}_{0.4}\text{Os}_{0.6})\text{O}_3$
 crystallography 37
 density 158
 Madelung constant 41
 $\text{Sr}(\text{Fe}_{0.4}\text{Re}_{0.6})\text{O}_3$
 crystallography 37
 density 158
 Madelung constant 41
 $\text{Sr}(\text{Fe}_{0.4}\text{U}_{0.6})\text{O}_3$
 crystallography 37
 density 158
 $\text{Sr}(\text{Fe}_{0.4}\text{W}_{0.6})\text{O}_3$
 crystallography 37
 density 158
 ferromagnetism 126
 $\text{Sr}(\text{Mg}_{0.4}\text{Mo}_{0.6})\text{O}_3$
 crystallography 37
 density 158
 $\text{Sr}(\text{Mg}_{0.4}\text{Os}_{0.6})\text{O}_3$
 crystallography 37
 density 158
 $\text{Sr}(\text{Mg}_{0.4}\text{Re}_{0.6})\text{O}_3$
 crystallography 37
 density 158
 $\text{Sr}(\text{Mg}_{0.4}\text{Te}_{0.6})\text{O}_3$
 crystallography 37
 density 158
 $\text{Sr}(\text{Mg}_{0.4}\text{U}_{0.6})\text{O}_3$
 crystallography 37
 density 158
 $\text{Sr}(\text{Mg}_{0.4}\text{W}_{0.6})\text{O}_3$
 crystallography 37
 density 158
 $\text{Sr}(\text{Mn}_{0.4}\text{Re}_{0.6})\text{O}_3$
 crystallography 37
 density 158
 $\text{Sr}(\text{Mn}_{0.4}\text{U}_{0.6})\text{O}_3$
 crystallography 37
 density 158
 $\text{Sr}(\text{Mn}_{0.4}\text{W}_{0.6})\text{O}_3$
 crystallography 37
 density 158
 ferromagnetism 126
- $\text{Sr}(\text{Ni}_{0.4}\text{Mo}_{0.6})\text{O}_3$
 crystallography 37
 density 158
 phase transition 119
 $\text{Sr}(\text{Ni}_{0.4}\text{Re}_{0.6})\text{O}_3$
 crystallography 37
 density 158
 $\text{Sr}(\text{Ni}_{0.4}\text{U}_{0.6})\text{O}_3$
 crystallography 37
 density 158
 Madelung constant 41
 $\text{Sr}(\text{Ni}_{0.4}\text{W}_{0.6})\text{O}_3$
 crystallography 37
 density 158
 ferromagnetism 126
 phase transition 119
 $\text{Sr}(\text{Pb}_{0.4}\text{Mo}_{0.6})\text{O}_3$
 crystallography 37
 density 158
 $\text{Sr}(\text{Sr}_{0.4}\text{Os}_{0.6})\text{O}_3$
 crystallography 37
 density 158
 Madelung constant 41
 $\text{Sr}(\text{Sr}_{0.4}\text{Re}_{0.6})\text{O}_3$
 crystallography 37
 density 158
 Madelung constant 41
 $\text{Sr}(\text{Sr}_{0.4}\text{U}_{0.6})\text{O}_3$
 crystallography 37
 density 158
 $\text{Sr}(\text{Sr}_{0.4}\text{W}_{0.6})\text{O}_3$
 crystallography 37
 density 158
 $\text{Sr}(\text{Zn}_{0.4}\text{Mo}_{0.6})\text{O}_3$
 phase transition 110
 $\text{Sr}(\text{Zn}_{0.4}\text{Re}_{0.6})\text{O}_3$
 crystallography 37
 density 158
 Madelung constant 41
 $\text{Sr}(\text{Zn}_{0.4}\text{W}_{0.6})\text{O}_3$
 crystallography 37
 density 157
 phase transition 119
- $\text{A}^{3+}(\text{B}^{1+}\text{B}^{2+})\text{O}_3$
 $\text{Ba}(\text{Ag}_{0.4}\text{I}_{0.6})\text{O}_3$
 crystallography 38
 density 157
 $\text{Ba}(\text{Li}_{0.4}\text{Os}_{0.6})\text{O}_3$
 crystallography 16, 38
 density 157
 $\text{Ba}(\text{Li}_{0.4}\text{Re}_{0.6})\text{O}_3$
 crystallography 38
 density 157
 Madelung constant 40
 $\text{Ba}(\text{Na}_{0.4}\text{I}_{0.6})\text{O}_3$
 crystallography 38
 density 157
 $\text{Ba}(\text{Na}_{0.4}\text{Os}_{0.6})\text{O}_3$
 crystallography 16, 38
 density 157
 $\text{Ba}(\text{Na}_{0.4}\text{Re}_{0.6})\text{O}_3$
 crystallography 38
 density 157
 $\text{Ca}(\text{Li}_{0.4}\text{Os}_{0.6})\text{O}_3$
 crystallography 38
 density 157
 $\text{Ca}(\text{Li}_{0.4}\text{Re}_{0.6})\text{O}_3$
 crystallography 38
 density 157
 $\text{Sr}(\text{Li}_{0.4}\text{Os}_{0.6})\text{O}_3$
 crystallography 38
 density 157
 $\text{Sr}(\text{Li}_{0.4}\text{Re}_{0.6})\text{O}_3$
 crystallography 38
 density 157
 $\text{Sr}(\text{Na}_{0.4}\text{Os}_{0.6})\text{O}_3$
 crystallography 38
 density 157
 $\text{Sr}(\text{Na}_{0.4}\text{Re}_{0.6})\text{O}_3$
 crystallography 38
 density 157
 preparation, powder 160
- $\text{A}^{3+}(\text{B}^{1+}\text{B}^{2+})\text{O}_3$
 $\text{La}(\text{Co}_{0.4}\text{Ir}_{0.6})\text{O}_3$
 crystallography 38
 density 157
 $\text{La}(\text{Cu}_{0.4}\text{Ir}_{0.6})\text{O}_3$
 crystallography 38
 density 157
 $\text{La}(\text{Mg}_{0.4}\text{Ge}_{0.6})\text{O}_3$
 crystallography 38
 density 157
 $\text{La}(\text{Mg}_{0.4}\text{Ir}_{0.6})\text{O}_3$
 crystallography 38
 density 157
 $\text{La}(\text{Mg}_{0.4}\text{Nb}_{0.6})\text{O}_3$
 crystallography 38
 density 157

- $\text{La}(\text{Mg}_{0.8}\text{Ru}_{0.2})\text{O}_3$
 crystallography 38
 density 157
 electrical conductivity 66
 preparation, single crystal 178
 X-ray diffraction 66
 $\text{La}(\text{Mg}_{0.8}\text{Ti}_{0.2})\text{O}_3$
 crystallography 38
 density 157
 $\text{La}(\text{Mn}_{0.8}\text{Ir}_{0.2})\text{O}_3$
 crystallography 38
 density 157
 $\text{La}(\text{Mn}_{0.8}\text{Ru}_{0.2})\text{O}_3$
 crystallography 38
 density 157
 $\text{La}(\text{Ni}_{0.8}\text{Ir}_{0.2})\text{O}_3$
 crystallography 38
 density 157
 electrical conductivity 66
 preparation, single crystal 178
 $\text{La}(\text{Ni}_{0.8}\text{Ru}_{0.2})\text{O}_3$
 crystallography 38
 density 157
 $\text{La}(\text{Ni}_{0.8}\text{Ta}_{0.2})\text{O}_3$
 crystallography 17
 density 157
 electrical conductivity 66
 preparation, single crystal 178
 $\text{La}(\text{Zn}_{0.8}\text{Ru}_{0.2})\text{O}_3$
 crystallography 38
 density 157
 electrical conductivity 66
 preparation, single crystal 178
 $\text{Nd}(\text{Mg}_{0.8}\text{Ti}_{0.2})\text{O}_3$
 crystallography 38
 density 157
 $\text{A}^{2+}(\text{B}_{0.8}^{2+}\text{B}_{0.2}^{4+})\text{O}_{3.2}$
 $\text{Ba}(\text{Ba}_{0.8}\text{Ta}_{0.2})\text{O}_{3.2}$
 crystallography 39
 density 157
 $\text{Ba}(\text{Fe}_{0.8}\text{Mo}_{0.2})\text{O}_{3.2}$
 crystallography 39
 density 157
 $\text{Sr}(\text{Sr}_{0.8}\text{Ta}_{0.2})\text{O}_{3.2}$
 crystallography 39
 density 157

CARBIDES

- AlFe_3C
 crystallography 185
 AlMn_3C
 crystallography 185
 ferromagnetism 187
 Fe_3SnC
 crystallography 185
 GaMn_3C
 crystallography 185
 Mn_3ZnC
 crystallography 185
 electrical conductivity 187
 ferromagnetism 187

HALIDES

- CaCaF_2
 crystallography 185
 CaCdBr_2
 crystallography 185
 CaCdCl_2
 crystallography 185
 CaFeF_2
 crystallography 185
 preparation, single crystal 184
 CaGeCl_2
 crystallography 185
 CaHgBr_2
 crystallography 185
 CaHgCl_2
 crystallography 185
 CaMgF_2
 crystallography 185
 CaPbBr_2
 crystallography 185
 CaPtCl_2
 crystallography 185
 CaZnF_2
 crystallography 185
 KCaF_2
 crystallography 185
 KCdF_2
 crystallography 185

KCoF_6
 crystallography 185
 KCoF_6
 crystallography 185
 KCoF_6
 crystallography 185
 ferromagnetism 188
 preparation 183
 KFeF_6
 crystallography 185
 ferromagnetism 188
 preparation 183
 KMgF_6
 crystallography 185
 KMnF_6
 crystallography 185
 ferromagnetism 188
 preparation 183
 KNiF_6
 crystallography 185
 ferromagnetism 188
 preparation 183
 KZnF_6
 crystallography 185
 LiBaF_6
 crystallography 185

LiBaH_6
 crystallography 186
 preparation 184
 LiEuH_6

Fe_3N
 crystallography 186
 ferromagnetism 188
 preparation 184
 Mn_3N
 crystallography 186
 ferromagnetism 188
 preparation 184

NaZnF_6
 crystallography 185
 RbCaF_6
 crystallography 185
 RbCoF_6
 crystallography 185
 RbFeF_6
 crystallography 185
 ferromagnetism 188
 preparation, single crystal 184
 RbMgF_6
 crystallography 185
 RbMnF_6
 crystallography 185
 ferromagnetism 188
 RbZnF_6
 crystallography 185
 $\text{K}(\text{Cr}_2\text{Na}_2)\text{O}_6$
 crystallography 186
 preparation 183
 $\text{K}(\text{Fe}_2\text{Na}_2)\text{O}_6$
 crystallography 186
 preparation 183
 $\text{K}(\text{Ge}_2\text{Na}_2)\text{O}_6$
 crystallography 186
 preparation 183

HYDRIDES

 crystallography 185
 LiSrH_6
 crystallography 186
 preparation 184

NITRIDES

Fe_3N
 crystallography 186
 ferromagnetism 188
 preparation 184
 $\text{Fe}_3\text{P}_3\text{N}$
 crystallography 186
 ferromagnetism 188
 preparation 184

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☒ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.